Dart Aerospace Ltd. Monday, 2/27/2006 4:18:01 PM . User: Kim Johnston **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : STRUT Customer Job Number : 25972 : 10275 **Estimate Number** ·NA Part Number : D2565103 P.O. Number S.O. No. : NA : D2565 REV E : 2/27/2006 **Drawing Number** This Issue : NC : N/A **Project Number** Prsht Rev. : MA Type : SMALL /MED FAB **Drawing Revision** First Issue : NIA : 24274 Material **Previous Run** : 3/20/2006 Qty: Um: **Due Date** Written By Checked & Approved By Comment : Est: F02.04.46 Added dwg Rev.C1 NG **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation:** M304TR0750W049 304 RD Tube .750 x .049W 1.0 Comment: Qty.: 1.5934 f(s)/Unit Total: 31.8675 f(s) 304 RD TUBE .750 X.49W 304/316/318-2B Seamless Tubing, 3/4" Q.D. x 0.049" wall Batch M (00138 (M304TR0750W049) 2.0 BRAKE NC Comment: BRAKE NC 06/03/06 Punch to length as per Dwg D2565 using DT8313 3.0 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Drill hole open to .3125 Ø as per Dwg D2565 (one end only) 06/03/08 2-Deburr 4.0 QC5

INSPECT WORK TO CURRENT STEP

Comment: INSPECT TO CURRENT STEP

POWDER COATING

POWDER COATING

Comment: POWDER COATING Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

06/03/22 DU

Each

5.0

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector	
06 03.0°	3	hole size Asper Dug is .316 (detn:1 C)	and				06.03.05	

Part No:	_ PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>८८/७२/</u> २८
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B			Verification	Τ			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
						-				
						÷ "				
. ;										

NOTE: Date & initial all entries

	day, 2/27/2006 4:18:01 PM Johnston	Process Sheet	
Customer:	CU-DAR001 Dart Helicopters Services	Drawing Name: STRUT	
Job Number:	25972	Part Number: D2565103	<u> </u>
Job Number:			
Seq. #:	Machine Or Operation:	Description:	
6.0	QC3	INSPECT POWDER COAT/CHEMICAL CONVERSION	
7.0	nt: INSPECT POWDER COAT PACKAGING 1	PACKAGING RESOURCE #1	20)
Comme	nt: PACKAGING RESOURCE #1 Identify and Stock Location: 185	116/3/22 (20)	
8.0	DC /	DOCUMENT CONTROL	
Comme	nt: DOCUMENT CONTROL		(23)
/ :	Inspection Level 21		30/EM 20/20
Job Completion		U 06.00	3-28
		·	
,			
		,	*
	9		

Form: rprocess

Page 2


Dart Ae	rospace	e Ltd					•			
W/O:			V	VORK ORDER CH	IANGES					
DATE	STEP	PROC	EDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									Ti Ti	
		; ,					1			
			*							
Part No	:	PAR #:	_ Fault Ca	tegory:	NC	R: Yes	No DQ	A:	Date:	
		4		2		QA: I	N/C Close	d:	_ Date: _	· · · · · · · · · · · · · · · · · · ·
NCR:		W	ORK OR	DER NON-CONFO	DRMANCE	E (NCI	₹)			
DATE	OTED	Description of NC	Corrective Action Section		Section B	Verif		cation Approva	Approval	l Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descrip	ption	Sign a	Sect.	ion C	Chief Eng	QC Inspector
:	**	<u>.</u>						¥	(+)	
									·	
				, -3						

NOTE: Date & initial all entries






DESIGN DRAWN BY			DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHEC	KED	APPROVED	DRAWING NO. D2565 SHE	REV. E			
DATE		<u> </u>	TITLE	SCALE			
 04.0	05.05		STRUT	1:3			
Α		96.05.03	NEW ISSUE				
В		97.03.15	CORRECT D2565-111 DIM. A				
С		98 10 05	UPDATED MATERIAL NOTE (TSR AG	503)			



04.05.05		STRUT 1:3
Α	96.05.03	NEW ISSUE
В	97.03.15	CORRECT D2565-111 DIM. A
С	98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D.	02.06.05	ADD -3XX PARTS; ADD FINISH
E	04.05.05	ADD D2565-401-411; RMV ANGLE D



PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	-
D2565-109	12.31		<u>.                                    </u>
D2565-111	13.65	12.85	- Name
D2565-201	22.79	22.00	0.316
	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	
D2565-209		14.36	_
D2565-211	14.14	13.34	
			Ĭ.
D2565-301	27.03		
D2565-303	25.34	24.54	0.316
	23.73		
D2565-307	20.86		
D2565-309	20.17	19.37	
D2565-311	16.30	15.50	_ "
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	-
D2565-409	9.34	8.54	_
D2565-411	13.81	13.01	

SHOP COPY

RETURN TO

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

ENGINEERING UNCONTROLLED COPY

(REF DART SPEC. M304TR0.750W0.049) ENSURE SEAMLESS TUBE IS USED

SUBJECT TO AMENDMENT

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 WITHOUT NOTICE 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED WORK ORDER

ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.